



City of Cleveland

Justin M. Bibb, Mayor

Department of Finance
Division of Purchases and Supplies
601 Lakeside Avenue, Room 128
Cleveland, Ohio 44114-1080
216/664-2620 Fax 216/664-2177
www.cleveland-oh.gov

September 11, 2026

ADDENDUM 1

BID TITLE: **File No. 86-2026 – 2026 Bridge Construction, Re-Bid**

BID DUE: **Thursday, September 24, 2026, at Noon**

Attention Bidders: We have been requested to issue this addendum to advise vendors of the following:

1. Extending the bid opening date to Thursday, September 24, 2026, at Noon.
2. Answers to questions received.
3. Delete article "DS-12 MAINTENANCE OF TRAFFIC (ITEM SPECIAL)" from the DS-Supplemental (Structural) Detail Specifications in its entirety and replace it with the attached revised version. The updated specification caps MOT at a 5% lump sum per task order total, unless an extensive MOT plan is required.
4. Remove Item 26, "Schedule of Items," in its entirety and substitute it with the attached revised "Schedule of Items." Key revisions include capping the "Maintenance of Traffic" line item at 5% of construction costs and establishing a new item for erosion control.
5. Remove item 5 "Instructions to Bidders" in its entirety and replace with the attached revised "Instructions to Bidders" moving the bid opening to September 24, 2026.

Please ensure that a copy of this addendum is included and returned with the bid specifications furnished to you by this office, as it will have the same force and effect as if it were part of the specifications originally issued.

Signature of Potential Bidder & Name of Company

Today's Date

Thank you,

Steven Decker

Steven Decker
Purchases & Supplies
CC: Attachments



File 86-2026 – 2026 Bridge Construction, Re-Bid

Addendum No. 1

ANSWERS TO QUESTIONS RECEIVED FROM BIDDERS

1.	Question	Will Cleveland be responsible for the testing and special inspections such as concrete testing, asphalt testing, etc.?
	Answer	Yes, the City inspector will coordinate the required material testing.
2.	Question	If the Prime Bidder is certified CSB with City of Cleveland, will the prime bidder's participation count toward the CSB goal on this project?
	Answer	No
3.	Question	Do contractors who are certified DBE count toward the CSB goal?
	Answer	No
4.	Question	Will a field office be required for this project? If so, please specify the requirements and include a bid item for field office.
	Answer	No
5.	Question	Will a pre-construction video be required for each task order? If so, please include a pay item per each.
	Answer	No
6.	Question	Please consider adding a pay item for erosion control per C&MS 832.
	Answer	Item has been added in the revised Schedule of Items in Addendum #1.
7.	Question	How should the contractor bid mobilization since no specific locations have been identified?
	Answer	Mobilization is set at 5% of the construction cost for each task order, given that the locations are not identified. The contractor may request additional costs from the City if necessary.
8.	Question	How should the contractor bid maintenance of traffic since there are no MOT plans?
	Answer	Maintenance of Traffic (MOT) is capped at a 5% lump sum per task order total, unless an extensive MOT plan is necessary. Contract unit prices represent full compensation for all accepted work—including labor, equipment, materials, transport, and disposal approved by the Engineer. If required, the City will supply the extensive MOT plan, and any extra costs will be negotiated.
9.	Question	Is there an engineer's estimate for the project?
	Answer	The engineer's estimate is \$3M.

2026 Public Improvement by Requirements Bridge Const. Re-bid
(File No. 86-26)
ADDENDUM #1

Notice to Bidders

1. The Contract work shall be performed during the period of 24 months starting from the date of the Notice to Proceed with up to two (2) additional twelve (12) month periods, up to a cumulative total of forty eight (48) months. The Contractor shall complete the work required under all properly signed Task Orders issued, in full compliance with the specifications and shall be acceptable to the City Engineer or designated person.
 2. The safety requirements of the State of Ohio, Ohio Administrative Code, and Chapter 4, 121:1-3 will be enforced during the contract term. The Ohio Bureau of Workers Compensation, Division of Safety and Hygiene book, "Specific Safety Requirements of the Ohio Bureau of Workers Compensation Relating to Construction", is hereby incorporated into these specifications.
 3. **An optional pre-bid conference for this project has been scheduled on Thursday, September 3, 2026 at 1:00pm. It will be a recorded virtual Microsoft Teams meeting, which can be accessed by any of the methods described below:**
Microsoft Teams meeting
<https://teams.microsoft.com/meet/258726144553219?p=jgYSEUrBZj5zr9qMMg>
Meeting ID: 258 726 144 553 219
Passcode: 4aM72ZH6
-
- Dial in by phone**
[+1 216-306-2628,656927408#](tel:+12163062628656927408) United States, Cleveland
Phone conference ID: 656 927 408#
4. Please note that the deadline for all bidders' questions shall be **Tuesday, September 8, 2026 at 12:00 pm**. Absolutely no further questions will be accepted after the deadline.
 5. The City will provide responses and any addendum if needed by **September 10, 2026**.
 6. **Bids will be opened on Thursday, September 24, 2026 at 12 noon.**
 7. Please note that the bidder submit original signed documents Schedule 1 thru 4 and return them with the bid package.
 8. It is the bidder's responsibility to ensure all documents necessary to submit a complete bid are included in the bid package. Carefully review the **"Bidder's Checklist"** and be sure that all signature pages are included.

2026 Public Improvement by Requirements Bridge Const. Re-bid
(File No. 86-26)
ADDENDUM #1

9. Each CLEVELAND-AREA SMALL BUSINESS (CSB), MINORITY BUSINESS ENTERPRISE (MBE) or FEMALE BUSINESS ENTERPRISE (FBE), and all bidders subcontracting with CSBs, MBEs and/or FBEs, must comply with the City's Cleveland Area Business Code, Chapter 187 of the Codified Ordinances of Cleveland, Ohio 1976 and its subsequent revisions. The safety requirements of the State of Ohio, Ohio Administrative Code, and Chapter 4, 121:1-3 will be enforced during the contract term. The Ohio Bureau of Workers Compensation, Division of Safety and Hygiene book, "Specific Safety Requirements of the Ohio Bureau of Workers Compensation Relating to Construction", is hereby incorporated into these specifications.
10. The successful bidder will be required to provide a performance bond and a payment bond in the amount of the contract on the form attached elsewhere in this Invitation To Bid.
11. The successful bidder and all subcontractors shall be enrolled, and in good standing, in the Drug-Free Workplace (DFWP) Program or a similar program approved by the Bureau of Workers Compensation.
12. All pages and paragraphs of the specifications are numbered. It is the responsibility of the bidder to ensure that errors or omissions are called to the attention of the Division of Purchases and Supplies and to request any corrections from that Division in a written addendum.
13. Contractor hereby certifies that beginning on the date the contract is awarded and extending until one year following conclusion of the contract, all persons identified in Ohio Revised code Sections 3517.13(I)(3) and 3517.13(J)(3), as applicable, are in compliance with Ohio Revised Code Sections 3517.13(I)(1) and 3517.13(J)(1).
14. The bidder shall pay special attention to "Part A- Instructions To Bidders," including specifically paragraph "A-16-**Rejection Or Acceptance of Bids.**" Under paragraph A-16, the City of Cleveland has the right to reject any one bid, or part of a bid, or all bids for any reason stated in A-16, or if considered to be in the public interest.

END

ADDENDUM #1

NOTE: All of this bound information must be kept intact and, together with any addenda issued, must be returned with the bid, otherwise the bid may be considered informal.

THERE IS NO CHARGE FOR THE PLANS AND SPECIFICATIONS THAT ARE AVAILABLE AT CITY OF CLEVELAND, DIVISION OF PURCHASING AND SUPPLIES; 601 LAKESIDE AVENUE, ROOM 128; CLEVELAND, OH 44114

CITY OF CLEVELAND, OHIO

STANDARD FORM OF
INVITATION TO BID, GENERAL CONDITIONS, SPECIFICATIONS
AND BID FOR A PUBLIC IMPROVEMENT

Department of Mayor's Office of Capital Projects

PART A - INSTRUCTIONS TO BIDDERS

A-1 ADVERTISEMENT.

In accordance with Ordinance No. 309-2026, passed by the Council of the City of Cleveland, April 13, 2026 and signed, April 20, 2026 an advertisement for proposals for 2026 City Wards of Cleveland Public Improvement by Requirements Bridge Construction Contract for the Department of Mayor's Office of Capital Projects of the City of Cleveland, appears in the City Record under dates of August 12 and August 19, 2026.

A-2 BIDS.

Sealed bids endorsed 2026 Cleveland Bridge Construction Requirements Rebid Contract will be received at the office of the Commissioner of Purchases and Supplies, Room 128, City Hall, Cleveland, Ohio 44114, until 12:00 o'clock noon, official time, Thursday, September 24, 2026 and thereafter will be publicly opened and read in City of Cleveland; Division of Purchases & Supplies; 601 Lakeside Avenue, Room 128; Cleveland, OH 44114.

A-3. FORM OF BID.

Every bid must be made upon the blank form of bid attached hereto; must give the price of each and every item of the work bid on, in figures, and must contain the full name of every person, firm or corporation interested in the bid, and the address of the person, firm or the president and secretary of the corporation bidding; and if a corporation, the bid must give the name of the State in which it is incorporated.

ADDENDUM #1

A-4. NAME OF BIDDER.

Each bid must be clearly signed with the full name and address of each person, firm or corporation interested in it. In case of a partnership, the firm name and address and name and address of each individual party must be given.

A-5. SIGNATURE OF BIDDER.

The firm, corporation or individual name of the bidder must be signed by the bidder in the space provided for the signature on the bid blank. In case of a corporation, the title of the officer signing must be stated, and each officer must be thereunto duly authorized. In the case of a partnership, the signature of at least one of the partners must follow the firm name, using the term "member of firm". In case of an individual, use the term "doing business as" or "sole owner".

A-6. BIDDER'S AFFIDAVITS.

Each bidder is required to submit with his bid an affidavit stating that neither he nor his agents, nor any other party for him has paid or agreed to pay, directly or indirectly, any person, firm or corporation any money or valuable consideration for assistance in procuring or attempting to procure the contract herein referred to, and further agreeing that no such money or reward will be hereafter paid. This affidavit must be on a form provided by the City, which may be obtained from the Commissioner of Purchase and Supplies.

A-7. BID BOND, CERTIFIED OR CASHIER'S CHECK.

Each bid shall be accompanied by a bid bond signed by a surety company authorized to do business in Ohio, or by a cashier's check or certified check on a solvent bank, which bond or check shall be in the sum of 5% of the amount of the bid. Said bond or check shall be given as security that if the bid is accepted, a contract will be entered into and the performance of it properly secured.

A-8. DISPOSITION OF BID BOND, CERTIFIED OR CASHIER'S CHECK.

A. The bid bond, certified or cashier's check shall be forfeited and the principal amount of said bid bond shall be paid to the City, or said check shall be surrendered to the City as the agreed amount of liquidated damages in case of failure to enter into contract as above described. The bid bond or check will be released or returned to the bidder in case his bid is rejected.

ADDENDUM #1

- B. In case his bid is accepted, the bid bond or certified or cashier's check will be returned after the contract has been signed and the performance bond herein required has been furnished and approved by the City. The bid bond or certified or cashier's check of the next lowest responsible bidder will be retained until the lowest responsible bidder has signed and secured the performance of his contract, or if he fails so to do, said bid bond or check shall be further retained until the second lowest responsible bidder shall have signed and properly secured the contract awarded to him; and in default thereof the bid bond or certified or cashier's check shall be forfeited to the City as liquidated damages.

A-9. EXPLANATIONS, WRITTEN AND ORAL.

Should a bidder find any discrepancy in or omission from the drawings or specifications, or should he be in doubt as to their meaning, he shall at once notify the Commissioner of Purchases and Supplies, who will send written instructions to all bidders. The City will not be responsible for any oral instructions.

A-10. UNACCEPTABLE BIDS.

No bid will be accepted from, or contract awarded to, any person, firm or corporation that is in arrears or is in default to the City of Cleveland upon any debt or contract, or that is a defaulter as surety or otherwise, upon obligation to said City, or has failed to perform faithfully any previous contract with the City.

A-11. EVIDENCE OF ABILITY TO DO WORK.

Bidders must present evidence to the Director, when required to do so, that they are fully competent and have the necessary facilities and pecuniary resources to deliver the material and complete the work to be performed hereunder in a satisfactory manner and within the time specified.

A-12. APPROXIMATE QUANTITIES.

Where bids are based on estimated quantities it is understood that the estimates are prepared by the city officials for the purpose of comparison of bids, and that the estimated quantities are not guaranteed but are approximate only, and the City reserves the right to increase or diminish the same, or to omit any one or more items, at the unit price bid, as the Director may deem desirable.

For bidding purposes, the City estimates an annual volume of six (6) Task Orders. Please note that this volume is an estimate only and is not guaranteed.

A-13. EXAMINATION OF SITE WORK.

- A. Bidders shall satisfy themselves as to the existing conditions of the premises where the work is to be done and of the nature of the ground at the site of the proposed work, and pay particular attention to any soil condition that may affect the progress or performance of the work. The City makes no guarantee, either express or implied, as to ground conditions.

ADDENDUM #1

- B. Subject to the convenience of the City, prospective bidders may be permitted to explore the site by making borings or digging test pits. In such event, the work shall be done at the sole expense and risk of the bidder, and he shall maintain and restore the site to a condition of safety.

A-14. MATERIALS, SAMPLES, ETC.

- A. Before any contract is awarded, the bidder may be required to furnish a complete certified statement of the origin, composition and manufacture of any or all materials to be used in the work, together with samples, which required samples may be subjected to the tests provided for in these specifications to determine their quality and fitness for work.
- B. For samples of materials that may be required to be furnished by bidders prior to the opening of bids, see "Detail Specifications".

A-15. CONSIDERATION OF BIDS.

All bids received in conformity with these contract documents shall, as soon as practicable, be tabulated and shall become a public record.

A-16. REJECTION OR ACCEPTANCE OF BIDS.

The City, through the Board of Control, reserves the right to reject any or all bids, and any part or parts of any bid and also the right to waive any informalities in the bid. In awarding a contract, the City reserves the right to consider all elements entering into the question of determining the responsibility of the bidder. Any bid which is incomplete, conditional, obscure, or which contains additions not called for, or irregularities of any kind, may be cause for rejection of bid.

A-17. WITHDRAWAL OF BID.

No bid will be allowed to be withdrawn after it has been deposited with the Commissioner of Purchases and Supplies.

A-18. TIME OF AWARD.

Unless further time is required for analysis of the bids or investigation of the responsibility of any bidder and in the absence of a limitation upon the time of acceptance set forth in the bid, the Board of Control of the City of Cleveland will ordinarily make an award or reject all bids received hereunder not later than the second regular meeting of said Board following the opening of bids. Any extension of time beyond the date fixed by the successful bidder or the fourth regular meeting of the Board of Control, whichever event shall first occur, shall be subject to agreement between said bidder and the Board of Control.

ADDENDUM #1

A-19. SURETY BOND.

The Contractor shall furnish an indemnity bond to the City of Cleveland in the full amount of the contract price, as a guarantee of good faith on behalf of the Contractor that the terms of these contract documents shall be complied with in every particular. Said bond shall be subject to the approval of the Department of Law of the City of Cleveland, Ohio.

A-20. RELEASE OF BOND.

The Contractor's bond will not be released until all of the provisions of the contract have been fulfilled.

A-21. BID DISCOUNTS - APPLICABLE TO BIDS FOR GOODS AND SERVICES PURCHASE CONTRACTS AND PUBLIC IMPROVEMENT CONTRACTS IN EXCESS OF FIFTY THOUSAND DOLLARS (\$50,000).

- A. Bid Discounts under Sections 187.03 and 187.05: If the bid of any prime contractor that is a CSB, MBE, FBE or a CSB, MBE or FBE joint venture is no more than five percent (5%) higher than the lowest actual bid for a contract that is not from a CSB, MBE, FBE or a CSB, MBE or FBE joint venture, the contracting department shall apply a Bid Discount of five percent (5%) to the CSB, MBE, FBE or CSB, MBE or FBE joint venture bid for the purpose of establishing a Comparison Bid. The City of Cleveland shall use the following ranking in determining who receives the preference:
1. Where the disparity study has determined that a disparity exists, the bid discount shall go to the bidders who are certified by the City as members of the specific MBE/FBE group for which the proven disparity exists. No other bidders shall receive any preference under Sections 187.03 and 187.05 at the prime contractor level.
 2. Where no disparity has been proven, or when no bids are received from groups for which a proven disparity exists, the bid discount shall go to certified CSB bidders certified by the City as located within the city limits of Cleveland. No other bidders shall receive any preference under Sections 187.03 and 187.05 at the prime contractor level.
 3. Where no disparity has been proven, or when no bids are received from groups for which a proven disparity exists, and no bids were received from certified CSB firms certified by the City as located within the city limits of Cleveland, the bid discount shall go to Certified CSB bidders certified by the City as located within Cuyahoga County. No other bidders shall receive any preference under Sections 187.03 and 187.05 at the prime contractor level.

ADDENDUM #1

4. In addition to any bid discounts at the prime contractor level, all prime contractors shall receive a bid discount of 5% of the total dollar amount of all CSB, MBE and/or FBE certified by the City that the prime contractor properly documents as subcontractors in their bid, for the purpose of establishing a Comparison Bid.
 5. The total Bid Discount awarded to any bidder on a bid pursuant to Sections 187.03 and 187.05 shall not exceed \$50,000.00.
- B. Bid Discounts under Section 187A.02(a): Application of Bid Discount - A Contracting Department shall apply a Bid Discount of two percent (2%) to a bid received from a Local Producer (LPE); two percent (2%) to a bid received from a Local Food-Producer (LPE); and two percent (2%) to a bid received from a Local Sustainable Business (SUBE); provided that the maximum total Bid Discount applied under Section 187A.02 (a) shall not exceed four percent (4%). Bid Discounts applied under Section 187A.02 (a) shall be in addition to any Bid Discount applied under Sections 187.03 and 187.05. The maximum amount of any Bid Discounts applied under this Section 187A.02 (a) shall not exceed \$50,000.
- C. Maximum Cumulative Amount of All Bid Discounts: The maximum cumulative amount of all Bid Discounts that may be applied to the bid under Sections 187.03, 187.05, and 187A.02 shall not exceed \$75,000.00, or nine percent (9%), whichever is lower.
- D. Comparison Bid to Determine Lowest and Best Bidder: The City shall determine the Comparison Bid by totaling all applicable Bid Discounts under Sections 187.03, 187.05, and 187A.02. The City shall use the Comparison Bid in determining the lowest and best or lowest responsible bidder for the purpose of awarding the contract. If more than one CSB, MBE, FBE, LPE, SUBE or CSB, MBE, FBE LPE, SUBE joint venture prime contractor in the respective category submits a bid that is no more than five percent (5%) higher than the lowest actual bid that is not from a CSB, MBE, FBE, LPE, SUBE or from a CSB, MBE, FBE, LPE, SUBE joint venture, the contracting department shall recommend the CSB, MBE, FBE, LPE, SUBE, or CSB, MBE, FBE, LPE, SUBE joint venture submitting the lowest bid, after the inclusion of all applicable prime and subcontractor discounts, as the lowest and best or lowest responsible bidder.
- The City shall use the Comparison Bid amount determined by applying the bid discounts described in Articles A-21A. and A-21B. above for evaluation purposes only; the City shall use the actual bid amount for the purposes of bid approval and contract award.
- E. City of Cleveland Certification required: For the purpose of determining a bidder's eligibility for bid discounts, the City shall only consider bidders with valid certificates issued by the City of Cleveland's Office of Equal Opportunity. The certifications must be active on the date and time of the deadline for bid submission. Expired certification holders and pending certifications cannot be considered for calculation of bid discounts. Certifications from other public or private entities cannot be considered.

ADDENDUM #1

A-22. GOOD FAITH PARTICIPATION - APPLICABLE TO BIDS FOR GOODS AND SERVICES PURCHASE CONTRACTS AND PUBLIC IMPROVEMENT CONTRACTS IN EXCESS OF FIFTY THOUSAND DOLLARS (\$50,000).

Bidders are required to actively participate and demonstrate good faith in attempting to meet all OEO goals for this procurement. A good faith effort to meet certified CSB, MBE, and/or FBE subcontractor participation goals as established in this contract is of the essence of the contract.

Good faith participation shall include:

1. Active cooperation in making and documenting a serious effort to gain and maintain participation from certified businesses at or above the specific goals set for this procurement;
2. Achieving or exceeding the CSB/MBE/FBE goals set for this particular procurement and/or documenting the practical steps taken by the bidder in attempting to comply;
3. Active attendance and participation in all pre bid meetings, Notice to Proceed meetings, and progress meetings during the contract;
4. Active compliance and cooperation with Project Monitors from OEO and/or the Department; and,
5. Timely and accurate submittals of all required forms, including, but not limited to, electronic monitoring forms, employment reports and certified payrolls if applicable.

The final determination of good faith effort shall be made by the Office of Equal Opportunity based upon each bidder's actions as documented in the required forms and as verified by OEO follow up.

A-23 CLEVELAND AREA BUSINESS CODE NOTICE TO BIDDERS & SCHEDULES - APPLICABLE TO BIDS FOR GOODS AND SERVICES PURCHASE CONTRACTS AND PUBLIC IMPROVEMENT CONTRACTS IN EXCESS OF FIFTY THOUSAND DOLLARS (\$50,000).

Sections 187 and 187A of the Codified Ordinances of the City of Cleveland Ohio, the Cleveland Area Business Code, in its entirety, whether reproduced in whole or in part within these documents, as well as the Cleveland Area Business Code Notice to Bidders & Schedules included in this bid document, shall become part of any contract awarded pursuant to this Invitation to Bid. Compliance with Section 187 and 187A is of the essence of the contract.

ADDENDUM #1

A-24 SUBCONTRACTING.

- A. Any and all proposed subcontractors, whether City certified or not, must be divulged and listed in the sealed bid. Include all proposed subcontractors on OEO Schedule 2. A Schedule 3 is also required for each proposed subcontractor that is CSB, MBE, FBE, LPE, or SUBE certified. However, a Schedule 3 is not required for proposed subcontractors who are not City-certified as a CSB, MBE, FBE, LPE, or SUBE.
- B. If OEO Schedule 2 is not included in the bid documents, you must submit a proposed subcontractor list on a separate, signed sheet of paper, listing the name, address, type of work or materials, and total subcontractor amount for each and every subcontractor that you propose to use on the contract.
- C. All proposed subcontractors listed in your bid must receive written Board of Control approval in advance. The subcontractors you propose in your sealed bid will be considered the subcontractors that you will use in the contract if awarded to you. See Article B-11 regarding the City's Sub-contractor Addition and Substitution Policy and Procedure. The City also reserves the right to approve an award but not approve a proposed subcontractor.
- D. The City maintains a list of Vendors Ineligible to Contract or Subcontract with the City at the City of Cleveland website: <http://www.city.cleveland.oh.us>. It is each bidder's responsibility to propose only eligible contractors. The City cannot approve a subcontractor whose name appears in this listing.

A-25 ISSUE 1- FUNDED PROJECT.

The City may process a public improvement project contract award concurrently with a grant award pertaining to the project but will not complete execution of the contract until funds for the contract are fully encumbered. Issue 1 grants are usually fully executed by 3rd week in July of each calendar year.

A-26 UNBALANCED BID.

The City may reject a bid as nonresponsive if the prices bid are materially unbalanced between line items or subline items. A bid is materially unbalanced when it is based on prices significantly less than cost for some work and prices which are significantly overstated in relation to cost for other work, and if there is a reasonable doubt that the bid will result in the lowest overall cost to the City even though it may be the low evaluated bid, or if it is so unbalanced as to be tantamount to allowing an advance payment.

ADDENDUM #1

A-27 PUBLIC IMPROVEMENT PROJECTS OVER \$500K

The successful bidder, and all of the bidder's contractors and subcontractors, shall comply with and adhere to the project labor agreement (PLA) for this project, which is attached as Exhibit B to these documents. As part of the bid submission, the bidder shall attach an executed copy of Exhibit C of the PLA, "Acknowledgment of Assent to the Project Labor Agreement." The City of Cleveland shall not enter into any contract with the successful bidder unless the contract contains a provision requiring the successful bidder and all of its contractors and subcontractors to comply with and adhere to the PLA. The bidder acknowledges this requirement by submitting this bid application with the executed Acknowledgment of Assent form."

END

**2026 Public Improvement by Requirements Bridge Const. Re-bid
(File No. 86-26) ADDENDUM #1**

DS – SUPPLEMENTAL (STRUCTURAL) DETAIL SPECIFICATIONS

Contents

DS-01	PROJECT SCOPE	2
DS-02	MOBILIZATION (ITEM SPECIAL)	2
DS-03	MAINTAINING PEDESTRIAN ACCESS	2
DS-04	COMPLETE IN PLACE ITEMS	3
DS-05	CONSTRUCTION SCHEDULE	3
DS-06	MODIFICATION TO D-06, (ELEVATIONS AND DIMENSIONS (ITEM 105, SPECIAL)	3
DS-07	STRUCTURAL STEEL, MISC: FIELD PREPARATION OF JOINT ARMOR.....	4
DS-08	STRUCTURAL STEEL, MISC.: REMOVE AND REINSTALL SIDEWALK PLATE.....	5
DS-09	EXPANSION JOINT SYSTEM REMOVED AND REPLACED	5
DS-10 SEAL	STRUCTURAL JOINT OR JOINT SEALER, MISC.: COATED PRECOMPRESSED FOAM 6	
DS-11	CAST IN PLACE CONCRETE	7
DS-12	MAINTENANANCE OF TRAFFIC (ITEM SPECIAL)	9
DS-13	FEES	9

DS – SUPPLEMENTAL (STRUCTURAL) DETAIL SPECIFICATIONS

DS-01 PROJECT SCOPE

The Contractor shall perform only such work under this Contract as the Administrative Manager of the Division of Engineering & Construction, or the Manager's designee, orders by signed task order with, when necessary, one or more plan attachments.

The purpose of this project is to repair various bridges throughout the City of Cleveland. Task orders may include, but are not limited to, reconstruction of existing infrastructure in the City's Right-of Way (Concrete spall removal, Channel cleanout, Concrete patching, Joint repairs, Deck sealing, Sidewalk repairs, Bearing refurbishment and/or replacement). The Division intends to utilize all unit items listed in this Contract on an "as needed" basis for existing and new construction ordered.

For bidding purposes, the City estimates an annual volume of six (6) Task Orders. Please note that this volume is an estimate only and is not guaranteed.

The City reserves the right to require additional crews as needed to complete the work. A crew will consist of all equipment and manpower required to complete the work within the allocated time as determined by the City.

DS-02 MOBILIZATION (ITEM SPECIAL)

This work shall consist of Mobilization for Task Orders assigned.

Mobilization cost shall be a 5% lump sum cost per the total proposed cost of each Task Order. This cost is inclusive of all costs related to same, and no additional separate payment or compensation will be made towards mobilization in this contract.

The unit item cost shall include work and all incidentals necessary to mobilize onsite.

The Contractor shall furnish and supply water for dust control as directed by the Construction Section Chief at no cost to the City.

DS-03 MAINTAINING PEDESTRIAN ACCESS

Pedestrian Access to all property owners, including residences and businesses, shall be made available at all times during construction. The contractor shall make available during the construction, steel plates, bridges, or other means approved by the engineer to bridge across open excavations to provide pedestrian access full time (24 hr – 7 days a week) to abutting properties at locations determined by the Superintendent of Sidewalks. A minimum of 72 hours prior to starting the removal of any paved surface the contractor shall inform the residents by letter approved by the Superintendent of Sidewalks stating the extent of work, start of work date and a 24 hour phone number in which the contractor can be reached in case of emergency.

DS – SUPPLEMENTAL (STRUCTURAL) DETAIL SPECIFICATIONS

DS-04 COMPLETE IN PLACE ITEMS

Items labeled “COMPLETE IN PLACE” in their item description shall include all the work necessary to accomplish the job; the work may include but not restricted to the following: saw-cut, removal, disposal, minor excavation, sub-grade compaction, furnishing and providing required sub-grade, dowelling holes, dowels, reinforcement, all form and material to build the structure, providing or cutting joints, joint fillers, joint sealers, curing agents, surface treatments, all surrounding disturbed area restoration and other relevant work which is necessary but not being paid separately.

DS-05 CONSTRUCTION SCHEDULE

This specification replaces Part C-9 Contractor Schedule in the Supplemental Conditions.

For each task order, the Contractor shall provide, at a minimum, a completion date for the work. The Contractor shall also furnish weekly schedule updates during active construction seasons.

If requested by the Construction Section Chief, the Contractor shall provide two (2) copies of the current construction schedule. This schedule must be provided within five (5) days of receipt of each task order. The failure to providing a schedule in the allocated time will be considered a delay in the completion of the work.

The schedule duration for most local street resurfacing is expected to be no more than three weeks after the beginning of milling operations. The schedule will also include the clean-up and restoration of the task order site work which will occur within fourteen (14) days after the completion of the task order work along with removal of all forms, pins, and any other items brought to the site by the Contractor.

An excusable delay in the completion of the task order work is defined in Part B-6 of the General Conditions. An extension of time to the task order schedule will be granted for reasons as stated in Part B-6 and as determined by the Construction Section Chief. No other compensation will be provided for delays in the completion of the work.

DS-06 MODIFICATION TO D-06, (ELEVATIONS AND DIMENSIONS (ITEM 105, SPECIAL)

The City may, at its option, furnish the contractor elevations which are not sea level datum. If the City furnishes elevations referring to another datum, the elevations furnished shall include the location and elevation of the datum used.

DS – SUPPLEMENTAL (STRUCTURAL) DETAIL SPECIFICATIONS

DS-07 STRUCTURAL STEEL, MISC: FIELD PREPARATION OF JOINT ARMOR


DESCRIPTION:

This work shall include preparing joint armor in preparation for installation of new joint seals and shall include removing existing steel extrusions or other elements that may interfere with the new joint seal as shown in the plans, directed by the engineer, and herein specified.

EXECUTION:

Existing strip seal extrusions or other interfering elements shall be removed by flame cutting, grinding, filing, etc. Removals are to be smooth and generally flush with the faces of the existing steel armor and shall not gouge, under cut, or otherwise damage the armor. Tolerances for removals are $+\frac{1}{8}$ " and -0 " from the face of the existing steel armor.

Removing elastomeric strip seals, if present, is included in this item.



GENERAL DETAIL

MEASUREMENT AND PAYMENT:

Payment for accepted quantities of the work described herein, complete in place, shall be made at the contract unit price bid for this item. This shall include all tools, labor, materials, equipment, power, transport, delivery, and disposal necessary to complete this item of work as described, and to the satisfaction of the Engineer.

DS – SUPPLEMENTAL (STRUCTURAL) DETAIL SPECIFICATIONS

DS-08 STRUCTURAL STEEL, MISC.: REMOVE AND REINSTALL SIDEWALK PLATE

DESCRIPTION:

This work shall include removal, storage, reinstallation, and incidental repairs to sidewalk expansion joint plates and any other appurtenances needed to complete the work as shown in the plans, directed by the Engineer, and herein specified.

REFERENCES:

This DS supplements ODOT C&MS 513 & 516.

EXECUTION:

The Contractor will remove, store, and reinstall bridge walk plates as necessary upon direction of the Engineer.

Reinstalled walk plates shall be clean and free of loose rust, grease, or other contaminants.

If existing condition of the walk plates requires their replacement, the Contractor shall notify the Engineer for a final determination. Other options may be investigated. Fabricated items, if required, shall be Level UF.

MEASUREMENT AND PAYMENT:

Payment for accepted quantities of the work described herein, complete in place, shall be made at the contract unit price bid for this item. This shall include all tools, labor, materials, equipment, power, transport, delivery, and disposal necessary to complete this item of work as described, and to the satisfaction of the Engineer.

DS-09 EXPANSION JOINT SYSTEM REMOVED AND REPLACED

DESCRIPTION:

This work shall include removing, furnishing, and installing expansion joint seals and any other appurtenances needed to complete the work as shown in the plans, directed by the Engineer, and herein specified.

REFERENCES:

This DS supplements ODOT C&MS 202, 511, and 516.

EXECUTION:

Work under Elastomeric Strip Seal Without Steel Extrusions shall consist of removing (C&MS 202) and replacing elastomeric strip seal per ODOT SCD EXJ-4-87.

Work under Preformed Elastomeric Compression Joint Seal shall consist of removing (C&MS 202) and replacing elastomeric compression seal per ODOT SCD EXJ-2-81.

DS – SUPPLEMENTAL (STRUCTURAL) DETAIL SPECIFICATIONS

Work under Structural Expansion Joint Including Elastomeric Compression Seal shall include removing portions of armor and/or concrete (C&MS 202), installing new concrete (C&MS 511, Class C), steel armor (C&MS 513, Level UF) and elastomeric compression seal per ODOT SCD EXJ-2-81.

Work under Structural Expansion Joint Including Elastomeric Strip Seal shall include removing portions of armor and/or concrete (C&MS 202), installing new concrete (C&MS 511, Class C), steel armor (C&MS 513, Level UF) and elastomeric strip seal per ODOT SCD EXJ-4-87.

MEASUREMENT AND PAYMENT:

Payment for accepted quantities of the work described herein, complete in place, shall be made at the contract unit price bid for this item. This shall include all tools, labor, materials, equipment, power, transport, delivery, and disposal necessary to complete this item of work as described, and to the satisfaction of the Engineer.

DS-10 STRUCTURAL JOINT OR JOINT SEALER, MISC.: COATED PRECOMPRESSED FOAM SEAL

DESCRIPTION:

This item shall consist of furnishing all labor, materials, and equipment necessary to remove existing joint seals and to furnish and install a complete precompressed UV stable silicone coated acrylic impregnated polyurethane foam seal system as shown in the plans, directed by the Engineer, and herein specified.

SUBMITTALS:

Prior to ordering materials, submit for approval product data, including installation instructions, for the joint system and all associated materials to be used.

Submit purchase order(s) for the system and materials supplied upon delivery to the work site.

MATERIALS:

Foam seal shall be capable of resisting a minimum of +60% elongation (tension) & -60% contraction (compression) (120% total movement), consist of polyurethane or similar foam impregnated with hydrophobic material, have a factory applied impervious and UV stable silicone coating on the exposed side of the seal, and be secured with epoxy to the substrate. The silicone coating shall not contain any open, unsealed joints along its length in its final condition.

DS – SUPPLEMENTAL (STRUCTURAL) DETAIL SPECIFICATIONS

PRODUCTS:

Provide a complete seal system consisting of one or the other of:

BEJS System

As Manufactured by:

EMSEAL Joint Systems, Ltd 25 Bridle Lane

Westborough, Massachusetts 01581

(508) 836-0280

Wabo FS Bridge Seal As Manufactured by:

Watson Bowman Acme Corp. 95 Pineview Drive

Amherst, New York 14228 (716) 691-7566

or approved equal.

The system and materials installed shall be from one manufacturer only.

EXECUTION:

Remove existing joint seal(s) or other material in the joint as required (C&MS 202).

Prepare the facing concrete or steel armor as required and install coated precompressed foam seal in accordance with the manufacturer's written instructions which shall be stored on site ready for inspection and reference.

The top of the foam seal shall be recessed $\frac{3}{4}$ " to 1" below the top surface of the adjoining roadway.

MEASUREMENT AND PAYMENT:

Payment for accepted quantities of the work described herein, complete in place, shall be made at the contract unit price bid for this item. This shall include all tools, labor, materials, equipment, power, transport, delivery, and disposal necessary to complete this item of work as described, and to the satisfaction of the Engineer.

DS-11 CAST IN PLACE CONCRETE

GENERAL: This supplement entirely supersedes D-24 "CONCRETE DESIGN MIX".

Any and all references to D-24, "Cleveland 650", or other cast in place concrete shall direct to this specification.

DESCRIPTION:

This work shall include furnishing and installing cast in place concrete pavements, curbs, walks, ramps, foundations, structures, walls, etc., and any other appurtenances needed to complete the work per ODOT C&MS Item 499 Concrete – General, other relevant sections of the ODOT C&MS, and as shown in the plans and herein specified.

SUBMITTALS:

The contractor shall submit all current, ODOT approved, Job Mix Formulas (JMFs) proposed for the work for review and approval. Submittal of each JMF shall include the ODOT approval documentation.

DS – SUPPLEMENTAL (STRUCTURAL) DETAIL SPECIFICATIONS

The contractor shall provide batch plant tickets per ODOT C&MS 499.07 and the ODOT Construction Administration Manual of Procedures (MOP).

MATERIALS:

All applicable cast-in-place concrete work items specified herein shall be bid and supplied using materials and the concrete mix design specified in this section and per ODOT C&MS 499.

Concrete mix designs shall be as specified for the individual items, and shall be Ohio DOT Class QC according to the following:

Pavement	Class QC-1P Substructure	Class QC1
Superstructure	Class QC2	
Mass Concrete	Class QC4	
Drilled Shaft	Class QC5	
Medium Set	Class QC MS	
Fast Set	Class QC FS	

JMFs proposed by the contractor shall be as appropriate for the classes above per the ODOT C&MS. Only approved JMFs shall be used where designated.

EXECUTION:

The contractor shall furnish and prepare concrete ready for placing in accordance with ODOT C&MS 499 and the ODOT MOP.

Cast in place concrete shall be placed and cured on or in properly prepared bases, forms, etc. per the relevant sections of the ODOT C&MS and MOP.

LIMITATIONS:

The following limitations apply without exception:

Admixtures containing chlorides shall not be used.

Class MS or Class FS concrete shall not be used.

HOT AND COLD WEATHER WORK:

Hot and cold weather protection (Blankets, heaters, ice, etc.) shall be included in the unit bid price.

MEASUREMENT AND PAYMENT:

Payment for accepted quantities of the work described herein, complete in place, shall be made at the contract unit price bid for these items. This shall include all tools, labor, materials, equipment, power, transport, delivery, and disposal necessary to complete this item of work as described, and to the satisfaction of the Engineer.

DS – SUPPLEMENTAL (STRUCTURAL) DETAIL SPECIFICATIONS

DS-12 MAINTENANANCE OF TRAFFIC (ITEM SPECIAL)

DESCRIPTION:

This work shall include maintaining traffic via detour, full-width closures, part-width closures, or lane closures on the roadway and/or sidewalk , in any combination and shall include any other appurtenances needed to complete the work as directed by the Engineer, and specified for Task Orders assigned.

EXECUTION:

Maintenance of Traffic (MOT) plans: When required, will be provided by the City for contractor to provide a proposal. The contractor proposal shall be itemized to include the costs of labor, equipment, and material and any other items associated with the proposed work.

Work Zone Compliance: The Contractor must establish and maintain a proper work zone in accordance with the Ohio Manual of Uniform Traffic Control Devices (OMUTCD) and ODOT standard construction drawings. Furthermore, the Contractor is responsible for supplying, installing, maintaining, and removing all required street traffic control devices, ensuring they fully conform to the OMUTCD.

Property Access: Unless directed by the Engineer, safe and satisfactory access for abutting properties and adjacent streets shall be maintained AT ALL TIMES by the Contractor.

Seasonal Restrictions: All existing lanes shall be open to traffic between November 15 and March 15, unless directed by the engineer.

Side Street Traffic: Two-way traffic shall be maintained at all times on the side streets adjacent to the roadway location listed in the Task Order and is incidental to the maintenance of traffic work.

Damage Devices: Construction traffic control devices and signage which become damaged by traffic for reasons beyond the control of the contractor shall be replaced in-kind at no cost to the City when ordered by the engineer.

Removal of Equipment: At the acceptance of the Task Order completion, all maintenance of traffic items shall be removed at no cost to the City when ordered by the Engineer. In no case shall maintenance of traffic items be stored or remain in the Right-of-Way for more than five consecutive calendar days. The roadway, sidewalks, nearby properties, etc. shall be restored to their original condition.

MEASUREMENT AND PAYMENT:

Maintenance of Traffic (MOT) is capped at a 5% lump sum per task order total, unless an extensive MOT plan is necessary. Contract unit prices represent full compensation for all accepted work—including labor, equipment, materials, transport, and disposal approved by the Engineer. If required, the City will supply the extensive MOT plan, and any extra costs will be negotiated.

DS-13 FEES

The bond fees for the project, estimated at 1% of the project cost, will be paid to the Contractor with the first project invoice after the City receives the fee receipt from the Contractor.

(End of Section)

CITY OF CLEVELAND, MAYOR'S OFFICE OF CAPITAL PROJECTS, DIVISION OF ENGINEERING AND CONSTRUCTION
2026 Cleveland Bridge Construction Requirements Rebid (File No.86-26)

SCHEDULE OF ITEMS

Addendum #1

REF NO.	DESCRIPTION	UNIT	APPROXIMATE TOTAL QUANTITY	UNIT COST (\$)	COST (\$)
1	Walk Removed (202E30000)	SF	1,000		
2	Curb Removed (202E32000)	FT	500		
3	Guardrail Removed (202E38000)	FT	500		
4	Item 202 - Fence Removed (202E75000)	FT	500		
5	Asphalt Concrete Surface Course, Type 1, (448), PG70-22M (441E50100)	CY	50		
6	Asphalt Concrete Intermediate Course, Type 2, (448) (441E50300)	CY	50		
7	Sealing Concrete Surfaces (Non-Epoxy) (512E10050)	SY	500		
8	Sealing Concrete Surfaces (Epoxy-Urethane) (512E10100)	SY	1,000		
9	Sealing Concrete Bridge Decks with HMWM Resin (512E10300)	SY	1,000		
10	Concrete Repair by Epoxy Injection (512E10600)	FT	200		
11	Type 3 Waterproofing (512E33010)	SY	1,000		
12	Treating Concrete Bridge Decks with Gravity Fed Resin (512E73500)	SY	5,000		
13	Removal of Existing Coatings from Concrete Surfaces (512E74000)	SY	1,000		
14	Removal of Existing Pavement Markings (512E74500)	FT	500		
15	Removal of Existing Pavement Markings (512E74510)	SF	500		
16	Removal of Existing Pavement Markings (512E74520)	EA	10		
17	Elastomeric Strip Seal Without Steel Extrusions (516E01300)	FT	500		
18	Preformed Elastomeric Compression Joint Seal (516E10000)	FT	500		
19	Armorless Preformed Joint Seal (516E10010)	FT	200		
20	Structural Expansion Joint Including Elastomeric Compression Seal (516E10500)	FT	300		
21	Elastomeric Compression Seal (516E10900)	FT	500		
22	Structural Expansion Joint Including Elastomeric Strip Seal (516E11210)	FT	500		
23	1/4" Preformed Expansion Joint Filler (516E13000)	SF	500		
24	1/2" Preformed Expansion Joint Filler (516E13200)	SF	500		
25	3/4" Preformed Expansion Joint Filler (516E13400)	SF	500		
26	1" Preformed Expansion Joint Filler (516E13600)	SF	500		
27	1-1/2" Preformed Expansion Joint Filler (516E13800)	SF	500		
28	2" Preformed Expansion Joint Filler (516E13900)	SF	500		
29	Preformed Expansion Joint Filler, Misc.: (3") (516E14000)	SF	500		
30	Preformed Expansion Joint Filler, Misc.: (3-1/2") (516E14000)	SF	500		
31	Preformed Expansion Joint Filler, Misc.: (4") (516E14000)	SF	500		
32	Structural Joint or Joint Sealer, Misc.: Coated Precompression Foam Seal (1") (516E14600)	FT	200		
33	Structural Joint or Joint Sealer, Misc.: Coated Precompression Foam Seal (1-1/2") (516E14600)	FT	200		
34	Structural Joint or Joint Sealer, Misc.: Coated Precompression Foam Seal (2") (516E14600)	FT	200		
35	Structural Joint or Joint Sealer, Misc.: Coated Precompression Foam Seal (2-1/2") (516E14600)	FT	200		
36	Structural Joint or Joint Sealer, Misc.: Coated Precompression Foam Seal (3") (516E14600)	FT	200		
37	Structural Joint or Joint Sealer, Misc.: Coated Precompression Foam Seal (3-1/2") (516E14600)	FT	200		
38	Structural Joint or Joint Sealer, Misc.: Coated Precompression Foam Seal (4") (516E14600)	FT	200		
39	Refurbish Bearing Device (516E45304)	EA	10		
40	Jacking and Temporary Support of Structure (516E47000)	LS	1		
41	Scupper, Misc.: Cleanout (518E12500)	EA	25		
42	Patching Concrete Structure (519E11000)	SF	1,000		
43	Patching Concrete Bridge Deck - Type C (519E12304)	SY	1,000		
44	Guardrail, Type 5 (606E13000)	FT	500		
45	Guardrail, Type MGS (606E15050)	FT	500		
46	Guardrail, Type MGS with Long Posts (606E15100)	FT	500		

CITY OF CLEVELAND, MAYOR'S OFFICE OF CAPITAL PROJECTS, DIVISION OF ENGINEERING AND CONSTRUCTION
2026 Cleveland Bridge Construction Requirements Rebid (File No.86-26)

SCHEDULE OF ITEMS

Addendum #1

REF NO.	DESCRIPTION	UNIT	APPROXIMATE TOTAL QUANTITY	UNIT COST (\$)	COST (\$)
47	Anchor Assembly, Type T (606E26500)	EA	5		
48	Anchor Assembly, Type E (606E26100)	EA	10		
49	Bridge Terminal Assembly, Type 1 (606E35000)	EA	5		
50	Bridge Terminal Assembly, Type 2 (606E35100)	EA	5		
51	Bridge Terminal Assembly, Type 3 (606E35120)	EA	5		
52	Bridge Terminal Assembly, Type 4 (606E35140)	EA	5		
53	Vandal Protection Fence, 6' Straight, Coated Fabric (607E39900)	FT	500		
54	Vandal Protection Fence, 8' Straight, Coated Fabric (607E39910)	FT	500		
55	Vandal Protection Fence, 10' Curved, Coated Fabric (607E39920)	FT	500		
56	Vandal Protection Fence, 12' Curved, Coated Fabric (607E39930)	FT	500		
57	4" Concrete Walk (608E10000)	SF	500		
58	6" Concrete Walk (608E13000)	SF	1,000		
59	Curb Ramp (608E52000)	SF	200		
60	Curb, Type 6 (609E26000)	FT	500		
61	Law Enforcement Officer with Patrol Car for Assistance (614E11110)	MNHR	100		
62	Law Enforcement Officer for Assistance (614E11130)	MNHR	50		
63	Edge Line, 4" (646E10000)	MI	1		
64	Lane Line, 4" (646E10100)	MI	1		
65	Center Line (646E10200)	MI	1		
66	Channelizing Line, 8" (646E10300)	FT	1,000		
67	Stop Line (646E10400)	FT	500		
68	Crosswalk, 12" (646E10510)	FT	500		
69	Lane Arrow (646E20300)	EA	10		
70	Erosion Control (832E30000)	EA	5,000	\$ 1.00	\$ 5,000.00
71	Polymer Modified Asphalt Expansion Joint (846E00110)	CF	50		
72	Microsilica Modified Concrete Overlay (847E10000)	SY	1,000		
73	Microsilica Modified Concrete Overlay (Variable Thickness), Material Only (847E20000)	CY	5		
74	Test Slab (847E30000)	LS	1		
75	Full Depth Repair (847E30200)	CY	5		
76	Existing Concrete Overlay Removed (847E30400)	SY	1,000		
77	Hand Chipping (847E50000)	SY	10		
78	Microsilica Modified Concrete Overlay (848E10000)	SY	1000		
79	Surface Preparation Using Hydrodemolition (848E20000)	SY	1000		
80	Microsilica Modified Concrete Overlay (Variable Thickness), Material Only (848E30000)	CY	5		
81	Hand Chipping (848E50000)	SY	10		
82	Test Slab (848E50100)	LS	1		
83	Full Depth Repair (848E50200)	CY	5		
84	Existing Concrete Overlay Removed (848E50320)	SY	1000		
85	Removal of Debonded or Deteriorated Existing Variable Thickness Concrete Overlay (848E50340)	SY	100		
86	Patching Concrete Structures with Trowelable Mortar (856E50000)	SF	100		
87	Damage Assessment (849E10000)	LS	1		
88	Surface Preparation (849E10500)	LS	1		
89	Repairing Damaged Members by Grinding (849E10600)	HOURL	5		
90	Straightening Damaged Members (849E10700)	LS	1		
91	Bridge Deck Waterproofing Asphalt Concrete (856E10000)	CY	100		
92	Maintenance of Traffic per DS-12 (5% of Total sum of Bid Items 1-92)	LS	1		

CITY OF CLEVELAND, MAYOR'S OFFICE OF CAPITAL PROJECTS, DIVISION OF ENGINEERING AND CONSTRUCTION
2026 Cleveland Bridge Construction Requirements Rebid (File No.86-26)

SCHEDULE OF ITEMS

Addendum #1

REF NO.	DESCRIPTION	UNIT	APPROXIMATE TOTAL QUANTITY	UNIT COST (\$)	COST (\$)
93	Item Special – Part 1 Force Account as per D-13 (1% of Total Sum of Bid Items 1-92)	LS	1		
94	Item Special - Fees per DS (1% of Total Sum of Bid Items 1-92)	LS	1		
Total (\$)					